



(5) Build & Price

Competitive Comparison

MODELS



PACKAGE Standard Package

Double Cab SR 4X2 Long Bed

PACKAGE Standard Package



PACKAGE

Standard Package

SR5

SR5 TRD Sport

SR5 TRD Off Road



Standard Package



Standard Package Limited TRD Off Road

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Army Green

Wind Chill Pearl

Midnight Black Metallic

Magnetic Grey Metallic

Supersonic Red

Blueprint

AVAILABLE INTERIOR COLOURS

Black Cloth

Black SofTex

Grey SofTex











(\$) Build & Price

Competitive Comparison

OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5080 (11199)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · Trailer Brake Controller
- Active Front Spoiler
- · P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- · Dual Zone Automatic Climate Control
- · TRD Leather Wrapped Shift Knob
- · TRD Off Road Shock Absorbers
- · Locking Rear Differential
- · Crawl Control (CRAWL)
- · TRD Front Grille

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Blind Spot Monitoring with RCTA
- · 18" Offroad Alloy Wheels
- Horsepower (kW): 389 (290)
- Trailer Brake Controller
- Multi-Terrain Select
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- · Dual Zone Automatic Climate Control • TRD Sport Tuned Shock Absorbers
- Horsepower (kW): 389 (290) · Active Grille Shutters
- TRD Front Grille

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- · Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- · Active Front Spoiler
- LED Fog Lamps

- · 8-way Power Adjustable Driver and Passenger
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · 20" Sport Alloy Wheels
- Trailer Brake Controller
- · Heated Front Seats
- P265/60R20

TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- · TRD Front Grille

- · DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- · Crawl Control (CRAWL)
- P265/70R18

- · Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · Multi-Terrain Select





STANDARD SPECIFICATIONS



Competitive Comparison

Double Cab SR

Double Cab SR5 L

Double Cab SR 4X2 Regular Double Cab SR 4X2 Long Bed



Double Cab Limited

● Standard — Not Available ↑ Available **SAFETY & CONVENIENCE** Driver & Passenger Airbag Supplemental Restraint System (SRS) Driver and Front Passenger Knee Airbags Roll-Sensing Front Head/Side Curtain Airbags Child Protector Rear Door Locks Backup Camera with Back Guide Monitor Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip Front Seat Mounted Side Airbags 1 Blind Spot Monitoring with RCTA Intuitive Parking Assist with Auto Braking 1 STAR SAFETY SYSTEM Star Safety System: Electronic Brake Force Distribution (EBD) Star Safety System: Anti-lock Brake System (ABS) Star Safety System: Brake Assist (BA) Star Safety System: Vehicle Stability Control (VSC) Star Safety System: Smart Stop Technology (SST) Star Safety System: Traction Control (TRAC) **TOYOTA SAFETY SENSE 2.5** Right/Left Turn Oncoming Pedestrian Detection /Braking Lane Tracing Assist Left Turn Oncoming Vehicle Detection/Braking Automatic High Beam Dynamic Radar Cruise Control Lane Departure Alert with Steering Assist Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection Pre-Collision System with Risk Avoidance **Emergency Steering Assist** Sway Warning System WARNING Tire Pressure Monitoring System with Auto Location CONVENIENCE Smart Key w/Push Button Start



Explor



Competitive Comparison

STANDARD SPECIFICATIONS Standard — Not Available	ouble Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Power Door Locks	•	•	•	•	•
2Volt Accessory Power Outlet	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate	-	_	•	•	•
ailgate Release Bump Switch (located in driver's- iide taillight)	_	-	-	_	•
Vireless Charging	_	_	-	_	•
SECURITY					
nti-Theft Alarm System	•	•	•	•	•
INFOTAINMENT					
SiriusXM Audio	•	•	•	•	•
HD Radio	•	•	•	•	•
Vireless Apple CarPlay Compatibility	•	•	•	•	•
Vireless Android Auto Compatibility	•	•	•	•	•
oyota Assistant	•	•	•	•	•
5 Speakers	•	•	•	•	•
Orive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) – Paid Subscription Required	•	•	•	•	_
3" Toyota Multimedia	•	•	•	•	_
Bluetooth Capability	•	•	•	•	•
Foyota Multimedia w/Service Con. (up to 10 yr. rrial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	•	•	_
Foyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	_	_	_	_	•
4" Toyota Multimedia	_	_	_	_	•
3 Year Trial of Drive Connect (Cloud Navigation, ntelligent Assistant, Destination Assist)	_	_	-	_	•
AUDIO					
JSB Input/Charging Port	•	•	•	•	•
DIMENSIONS					
DIMENSIONS					
ength mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)

2030 (79.9)

1926 (75.8)

4179 (164.5)

5

262 (10.3)

1042 (41.0)

2030 (79.9)

1982 (78.0)

3699 (145.6)

5

279 (11.0)

1042 (41.0)

2030 (79.9)

1926 (75.8)

3699 (145.6)

5

264 (10.4)

1042 (41.0)



Width mm (in.)

Height mm (in.)

Wheelbase mm (in.)

Seating Capacity

Ground Clearance mm (in.)

Front Headroom mm (in.)

2030 (79.9)

1982 (78.0)

3699 (145.6)

5

277 (10.9)

1042 (41.0)

2030 (79.9)

1982 (78.0)

4179 (164.5)

5

274 (10.8)

1042 (41.0)







S Build & Price

Competitive Comparison

тоуота

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload(GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	85 (22)	85 (22)	85 (22)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	348 (256)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length	_	_	1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

т	D	Λ	NI	c	B/I	IIC	C	10	NI
п	IX.	n	IЯ	J	1,1	IJ	2		1.4

TRANSMISSION					
10-speed Direct Shift Automatic Transmission	•	•	•	•	•
BRAKES					
Electric Parking Brake (EPB)	•	•	•	•	•
ENGINE					
Intercooled	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•
SUSPENSION					
Independent Front Suspension	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•
MECHANICAL FEATURES					
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	_		_	•	•
TRUCK BED					
Header rail	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	_	_	_	_	•
Side Rail with Four Adjustable Tie Down Cleats	_	_	↑	_	•

INTERIOR





Explore



Competitive Comparison

Standard — Not Available	ole Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
NTERIOR MIRRORS					
Day and Night Mechanical Rear View Mirror	•	•	•	•	_
lectrochromic Rear View Mirror w/Homelink (EC)	_	_	_	_	•
LOORING					
ll Season Floor Mats	•	•	•	•	•
TEERING WHEEL					
ilt & Telescopic Steering Wheel	•	•	•	•	•
eated Leather Wrapped Steering Wheel	_	_	1	•	•
VINDOWS					
ront Windshield Acoustic Glass	•	•	•	•	•
lectric Rear Window Defroster	•	•	•	•	•
ear Side Window Privacy Glass	•	•	•	•	•
lack Window Frame	•	•	_	_	_
ower Sliding Rear Window	•	•	•	•	•
ower Windows with Driver Side Auto Down	_	_	•	•	•
LIMATE CONTROL					
ear Seat Heater Ducts	•	•	•	•	•
ingle Zone Automatic Climate Control	•	•	•	_	_
ual Zone Automatic Climate Control	_	_	*	•	•
NSTRUMENTATION					
.2-in. colour TFT Multi Information Display	•	•	•	•	•
Dil Pressure Gauge	•	•	•	•	•
oltmeter	•	•	•	•	•
NTERIOR LIGHTING					
luminated Entry	•	•	•	•	•
EATS					
abric Seats	•	•	•	•	_
eated Front Seats	_	_	↑	•	•
–way Power Adjustable Driver and Passenger eats	-	_	1	•	•
-way Power Adjustable Driver and Passenger umbar Support	-	_	° ↑ °	•	•
entilated Front Seats	_	_	_	_	•
river Seat Memory System	_	_	_	_	•
ofTex Seats	-	-	-	-	•
RIM					
lver Inside Door Handle	_	_	•	•	•







S Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Standard — Not Available	Bed				
eather Wrapped Shift Knob		_	*	•	•
EXTERIOR					
TIRES					
245/75R18	•	•	•	_	_
265/70R18	_	_	1	•	^
265/60R20		_	^	_	•
VIPERS					
ariable Intermittent Wipers	•	•	•	•	•
Vindshield Wiper De-Icer	•	•	•	•	•
XTERIOR MIRRORS					
ower Adjustable Heated Exterior Mirrors	•	•	•	•	•
ower Folding Mirrors	_	_	_	_	•
1emory Mirrors	_	_	_	_	•
lectrochromic Driver's Side View Mirror	_	_	_	_	•
XTERIOR LIGHTING					
i-Beam LED Headlamps	•	•	•	•	•
leadlamps with Manual Level Control	•	•	•	•	•
ED Daytime Running Lights	_	-	•	•	•
ED Fog Lamps	_	-	1	•	•
XTERIOR					
slack Mud Guards	•	•	•	•	•
ctive Grille Shutters	_	_	^	•	•
Active Front Spoiler	_	-	†	•	•
VHEELS					
8" Styled Steel Wheels	•	•	•	_	_
8" Alloy Wheels	_	-	↑	•	-
0" Alloy Wheels	_	_	_	_	•
1ECHANICAL FEATURES					
art-Time 4WD	_	-	•	•	•
lill-start Assist Control (HAC)	_	_	*	•	•
railer Brake Controller	_	_	^	•	•
rive Mode Select (Sport, Eco and Normal Modes)	_	-	*	_	-
OPTIONAL FEATURES					
OPTIONAL FEATURES					
A HOWALI LATURES					



TRD Front Grille



Explore



Competitive Comparison

STANDARD SPECIFICATIONS Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
DAC (Downhill Assist Control)	_	_	↑	_	↑
Multi-Terrain Select	_	_	^	_	^
Crawl Control (CRAWL)	_	_	^	_	↑
Locking Rear Differential	_	_	^	_	↑
TRD Off Road Shock Absorbers	_	_	^	_	↑
18" Offroad Alloy Wheels	_	_	^	_	↑
TRD Leather Wrapped Shift Knob	_	_	1	_	_
TRD Heated Steering Wheel	_	_	^	_	↑
TRD Sport Tuned Shock Absorbers	_	_	^	_	_
20" Sport Alloy Wheels	_	_	^	_	_
Remove: Active Front Spoiler	_	_	_	_	↑
Multi Terrain View Monitor	_	_	_	_	↑







Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicles

- * Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions

Connected services (general mentions)
Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc.
Android Auto and Googie Assistant are trademarks of Google LLC. A compatible customer phone painting is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network of discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your webicle, over your shoulder, and use your mirrors to confirm clearance.

QI Wireless charging: QI wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and /or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist head of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assists. Lane Departure Alert with Steering Assists is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance over the collision-avoidance over the collision of th

conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors

Slind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





(5) Build & Price

Competitive Comparison

MODELS



Standard Package

SR5

SR5 TRD Sport

SR5 TRD Off Road

CrewMax SR5 L

PACKAGE

Standard Package

TRD Off Road



PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Limited L

PACKAGE

Standard Package

Limited TRD Off Road



PACKAGE

Standard Package

latinum 1794



PACKAGE

Standard Package

Platinum 1794

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Smoked Mesquite

Blueprint



Midnight Black Metallic

Army Green

Magnetic Grey Metallic

Supersonic Red

Lunar Rock

AVAILABLE INTERIOR COLOURS

Black Cloth

Black Leather

Black SofTex

Saddle Tan Leather

Grey SofTex











(\$) Build & Price

Competitive Comparison

OPTIONAL PACKAGES

TUNDRA CREWMAX SR

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5060 (11155)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · Trailer Brake Controller
- Active Front Spoiler
- · P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Blind Spot Monitoring with RCTA
- · 18" Offroad Alloy Wheels
- · Horsepower (kW): 389 (290)
- · Trailer Brake Controller
- · Multi-Terrain Select
- LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- · TRD Leather Wrapped Shift Knob
- · TRD Off Road Shock Absorbers
- · Locking Rear Differential
- · Crawl Control (CRAWL)
- TRD Front Grille

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- · Active Front Spoiler
- · LED Fog Lamps

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 122 (32)
- TRD Sport Tuned Shock Absorbers
- · 20" Sport Alloy Wheels
- · Trailer Brake Controller
- · Heated Front Seats
- · P265/60R20

- · 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- · Hill-start Assist Control (HAC)
- · Horsepower (kW): 389 (290)
- · Active Grille Shutters
- TRD Front Grille

TUNDRA CREWMAX SR5 L

TRD OFF ROAD

- · Side Rail with Four Adjustable Tie Down Cleats
- · TRD Leather Wrapped Shift Knob
- · Remove: Active Front Spoiler · Locking Rear Differential
- · TRD Front Grille

- · Intuitive Parking Assist with Auto Braking
- · 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

- Blind Spot Monitoring with RCTA
- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- Multi-Terrain Select







Competitive Comparison



TUNDRA CREWMAX LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- Multi-Terrain Select

TUNDRA CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- · Multi-Terrain Select

TUNDRA CREWMAX PLATINUM

PLATINUM 1794

• 20" Machine-finished alloy wheels

- Chrome grille and exterior accents
- Real Walnut Wood Trim

TUNDRA CREWMAX PLATINUM L

PLATINUM 1794

• 20" Machine-finished alloy wheels

- Chrome grille and exterior accents
- Real Walnut Wood Trim



STANDARD SPECIFICATIONS



Competitive Comparison



CrewMax SR CrewMax SR5 I CrewMax Limited CrewMax Limited L CrewMax Platinum CrewMax Platinum I ● Standard — Not Available ↑ Available **SAFETY & CONVENIENCE** Driver & Passenger Airbag Supplemental Restraint System (SRS) Driver and Front Passenger Knee Airbags Roll-Sensing Front Head/Side Curtain Airbags Child Protector Rear Door Locks Backup Camera with Back Guide Monitor Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip Front Seat Mounted Side Airbags Blind Spot Monitoring with RCTA Intuitive Parking Assist with Auto Braking \wedge \wedge • Panoramic View Monitor • STAR SAFETY SYSTEM Star Safety System: Electronic Brake Force Distribution • (EBD) Star Safety System: Anti-lock Brake System (ABS) Star Safety System: Brake Assist (BA) Star Safety System: Vehicle Stability Control (VSC) Star Safety System: Smart Stop Technology (SST) . Star Safety System: Traction Control (TRAC) • • • • **TOYOTA SAFETY SENSE 2.5** Right/Left Turn Oncoming Pedestrian Detection/Braking • • Lane Tracing Assist . Left Turn Oncoming Vehicle Detection/Braking Automatic High Beam Dynamic Radar Cruise Control Lane Departure Alert with Steering Assist Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection Pre-Collision System with Risk Avoidance Emergency Steering Assist Sway Warning System Tire Pressure Monitoring System with Auto Location CONVENIENCE Power Door Locks 12Volt Accessory Power Outlet





S Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS						
● Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	-	_	•	•	•	•
Wireless Charging	_	_	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	_	-	_	_	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•

INFOTAINMENT

TOYOTA MULTIMEDIA	

SiriusXM Audio	•	•	•	•	•	•
HD Radio	•	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•	
Wireless Android Auto Compatibility	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Orive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) – Paid Subscription Required	•	•	-	-	-	-
3" Toyota Multimedia	•	•	-	-	-	-
Bluetooth Capability	•	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	_	_	-	_
9 Speakers	•	•	•	•	_	_
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	_	_	•	•	•	•
14" Toyota Multimedia	_	_	•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	_	_	•	•	•	•
12 Speaker JBL Audio System	_	_	_	_	•	•

DIMENSIONS

USB Input/Charging Port

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)		978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)







S Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload(GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	85 (22)	122 (32)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (256)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)

POWERTRAIN & MECHANICAL

TOWER TRAIN & FILCHANICAL						
TRANSMISSION						
10-speed Direct Shift Automatic Transmission	•	•	•	•	•	•
BRAKES						
Electric Parking Brake (EPB)	•	•	•	•	•	•
ENGINE						
Intercooled	•	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•	•
Active Noise Control	_	_	_	_	•	•
SUSPENSION						
Independent Front Suspension	•	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•	•
MECHANICAL FEATURES						
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	_	•	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	_	_	_	_	•	•
TRUCK BED						
Header rail	•	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	_	_	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	↑	↑	•	•	•	•







(5) Build & Price

Competitive Comparison

STANDARD	SPECIFI	CATIONS
----------	---------	---------

■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L

INTERIOR

INTERIOR MIRRORS

Day and Night Mechanical Rear View Mirror	•	•	_	_	_	_
Electrochromic Rear View Mirror w/Homelink (EC)	_	_	•	•	_	_
Digital Display Rear View Mirror with Homelink	_	_	_	_	•	•
FLOORING						

All Season Floor Mats STEERING WHEEL

Tilt & Telescopic Steering Wheel	•	•	•	•	_	_
Heated Leather Wrapped Steering Wheel	Υ	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	_	_	_	_	•	•

WINDOWS

Front Windshield Acoustic Glass	•	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	_	•	•
Power Windows with Driver Side Auto Down	•	•	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•
CLIMATE CONTROL						

CLIMATE CONTROL

Rear Seat Heater Ducts	•	•	•	•	•	•
Single Zone Automatic Climate Control	•	-	-	-	-	-
Dual Zone Automatic Climate Control	↑	•	•	•	•	•

INSTRUMENTATION

4.2-in. colour TFT Multi Information Display	•	•	•	•	_	_
Oil Pressure Gauge	•	•	•	•	•	•
Voltmeter	•	•	•	•	•	•
Full TFT LCD Gauge Cluster	_	_	_	_	•	•
Head-Up Display	_	_	_	_	•	•

INTERIOR LIGHTING

Illuminated Entry

Ambient Lighting	_	_	_	_	•	•
SEATS						
Fabric Seats	•	•	_	_	_	_
Heated Front Seats	↑	•	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	↑	•	•	•	_	_



Support

2-way Power Adjustable Driver and Passenger Lumbar





S Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Ventilated Front Seats	_	_	•	•	•	•
Driver Seat Memory System	_	_	•	•	•	•
SofTex Seats	_	_	•	•	-	_
Heated Rear Seats	_	_	_	-	•	•
Leather Seats	_	_	_	-	•	•
4-way Power Adjustable Driver and Passenger Lumbar Support	_	_	_	_	•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	_	_	_	_	•	•
Ventilated Rear Seats	_	_	_	_	•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	↑	•	•	•	•	•
EXTERIOR						
TIRES						
P245/75R18	•	-	_	_	_	_
P265/70R18	Υ	•	↑	↑	_	_
P265/60R20	↑	-	•	•	•	•
WIPERS						
Variable Intermittent Wipers	•	•	•	•	_	_
Windshield Wiper De-Icer	•	•	•	•	•	•
Rain Sensing Wipers	_	_	_	_	•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Power Folding Mirrors	_	_	•	•	_	_
Memory Mirrors	_	_	•	•	•	•
Electrochromic Driver's Side View Mirror	_	_	•	•	•	•
Power Extendable/Folding Towing Mirrors	_	_	_	_	•	•
EXTERIOR LIGHTING						
Bi-Beam LED Headlamps	•	•	•	•	_	_
Headlamps with Manual Level Control	•	•	•	•	_	_
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	↑	•	•	•	•	•
Auto Leveling Headlamp System	_	_	_	_	•	•
Premium Triple-Beam LED Headlamps	-	_	-	-	•	•
EXTERIOR						
Black Mud Guards	•	•	•	•	•	•
Active Grille Shutters	↑	•	•	•	•	•







S Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Active Front Spoiler	↑	•	•	•	•	•
Panoramic Moonroof	_	_	•	•	•	•
WHEELS						
18" Styled Steel Wheels	•	_	_	_	_	_
18" Alloy Wheels	↑	•	_	_	_	_
20" Alloy Wheels	_	_	•	•	•	•
MECHANICAL FEATURES						
Part-Time 4WD	•	•	•	•	•	•
Hill-start Assist Control (HAC)	↑	•	•	•	•	•
Trailer Brake Controller	↑	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	↑	_	_	_	-	_

OPTIONAL FEATURES

TRD Front Grille	↑	1	Υ.	↑	_	_
DAC (Downhill Assist Control)	↑	1	Υ.	↑	_	_
Multi-Terrain Select	↑	1	Υ.	↑	_	_
Crawl Control (CRAWL)	↑	↑	Υ	↑	_	_
Locking Rear Differential	↑	1	Υ	↑	_	_
TRD Off Road Shock Absorbers	↑	1	Υ	↑	_	_
18" Offroad Alloy Wheels	↑	1	Υ	↑	_	_
TRD Leather Wrapped Shift Knob	↑	1	_	_	_	_
TRD Heated Steering Wheel	↑	1	↑	↑	_	_
TRD Sport Tuned Shock Absorbers	↑	_	_	_	_	_
20" Sport Alloy Wheels	↑	_	_	_	_	_
Remove: Active Front Spoiler	-	1	1	↑	_	_
Multi Terrain View Monitor	_	_	↑	↑	_	_
20" Machine-finished alloy wheels	_	_	_	_	↑	↑
Real Walnut Wood Trim	_	_	_	_	↑	\uparrow
Chrome grille and exterior accents	_	_	_	_	↑	↑







Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicles.

- * Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions

Connected services (general mentions)
Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc.
Android Auto and Googie Assistant are trademarks of Google LLC. A compatible customer phone painting is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network of discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your webicle, over your shoulder, and use your mirrors to confirm clearance.

QI Wireless charging: QI wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and /or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist head of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assists. Lane Departure Alert with Steering Assists is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance overteen or a cubeling force when lane departure is detected. It is not a collision-avoidance over the collision-avoidance over the collision of th

conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors

Slind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.